

Datesheet

Item Number 5633P6W

Product Type Plug


Manufacturer Cantell I



Property

Plug

- Screw-clamp Terminal
- IP67
- V-0 Flame Rating



Product images (for reference only)

Product Specification

Plug 400V 63A 5P 6h IP67

Comply with IEC 60309

Manufactured from PA66

Add bromine series flame retardants

Specification description

| | |
|------------------------|------------------------|
| Current intensity | 63A |
| Poles | 5 |
| Voltage parameter | 380V/415V~ (50+60Hz) |
| Clock position | 6 h |
| Color | Red |
| Protection type | IP67 |
| Connection technology | Screw terminals |
| Materials | PA66 |
| Minimum wire area | 16mm ² |
| Maximum conductor area | 50mm ² |
| Fire protection grade | V0 |



Qualification certification

| | |
|-------------------|---|
| CQC Certification |  |
| CE Certification | CE |
| CB Certification | CB |
| RoSH |  |
| TUV |  |

Packaging parameters

| | |
|---------------------------|----------|
| Ordering unit | Pcs |
| HS Code | 85366990 |
| Net weight | 0,71kg |
| Number of pieces per box | 5 |
| Packaging length | 0,31m |
| Packaging width | 0,25m |
| Packaging depth | 0,15m |
| Gross weight of packaging | 3.8kg |

Drawing



| mm | A | 63 | | |
|---|---|------|------|------|
| | p | 3 | 4 | 5 |
| a | | 131 | 131 | 131 |
| b | | 87.1 | 87.1 | 87.1 |
| c | | 289 | 289 | 289 |
| d | | 214 | 214 | 214 |
| e | | 42.8 | 42.8 | 42.8 |
| f | | 73.5 | 73.5 | 73.5 |
| g | | 81.1 | 81.1 | 81.1 |
| Cross-sectional area of the wire (mm ²) | | 16 | 16 | 16 |
| From the smallest to the largest | | 50 | 50 | 50 |