

## Datesheet

Item Number	5323P6
Product Type	Plug
Manufacturer	Cantell I



### Property

#### Plug

- Screw-clamp Terminal
- IP44
- V-0 Flame Rating



Product images (for reference only)

### Product Specification

Plug 400V 32A 5P 6h IP44

Comply with IEC 60309

Manufactured from PA66

Add bromine series flame retardants

### Specification description

Current intensity	32A
Poles	5
Voltage parameter	380V/415V~ ( 50+60Hz )
Clock position	6 h
Color	Red
Protection type	IP44
Connection technology	Screw terminals
Materials	PA66
Minimum wire area	2.5mm <sup>2</sup>
Maximum conductor area	6mm <sup>2</sup>
Fire protection grade of cable contact surface	V0

---

## Qualification certification

---

CQC Certification	
CE Certification	<b>CE</b>
CB Certification	<b>CB</b>
RoSH	
TUV	



---

## Packaging parameters

---

Ordering unit	Pcs
HS Code	85366990
Net weight	0,27kg
Number of pieces per box	10
Packaging length	0,31m
Packaging width	0,195m
Packaging depth	0,15m
Gross weight of packaging	2.9kg

## Drawing



mm	A	32		
	p	3	4	5
a		81	81	88
b		63	63	70
c		179	179	180
d		133	133	134
e		24.8	24.8	30.1
f		50.7	50.7	55.6
g		57	57	63
Cross-sectional area of the wire (mm <sup>2</sup> )		2.5	2.5	2.5
From the smallest to the largest		6	6	6