

## Datesheet


Item Number	5163C6
Product Type	Connector
Manufacturer	Cantell I



### Property

#### Connector

- Screw-clamp Terminal
- IP44
- V-0 Flame Rating



Product images (for reference only)

### Product Specification

Connector 400V 16A 5P 6h IP44

Comply with IEC 60309

Manufactured from PA66

Add bromine series flame retardants

### Specification description

Current intensity	16A
Poles	5
Voltage parameter	380V/415V~ ( 50+60Hz )
Clock position	6 h
Color	Red
Protection type	IP44
Connection technology	Screw terminals
Materials	PA66
Minimum wire area	1mm <sup>2</sup>
Maximum conductor area	2.5mm <sup>2</sup>
Fire protection grade	V0

---

## Qualification certification

---

CQC Certification	
CE Certification	<b>CE</b>
CB Certification	<b>CB</b>
RoSH	
TUV	


---

## Packaging parameters

---

Ordering unit	Pcs
HS Code	85366990
Net weight	0,22kg
Number of pieces per box	10
Packaging length	0,31m
Packaging width	0,195m
Packaging depth	0,15m
Gross weight of packaging	2.4kg

## Drawi ng



	A	16		
mm	p	3	4	5
	a	69	74	81
	b	51	55	63
	C	153	154	181
	Cross-sectional area of the wire (mm <sup>2</sup> )	1	1	1
	From the smallest to the largest	2.5	2.5	2.5