

## Datesheet


Item Number	5163P6
Product Type	Plug
Manufacturer	Cantell I



### Property

#### Plug

- Screw-clamp Terminal
- IP44
- V-0 Flame Rating



Product images (for reference only)

### Product Specification

Plug 400V 16A 5P 6h IP44

Comply with IEC 60309

Manufactured from PA66

Add bromine series flame retardants

### Specification description

Current intensity	16A
Poles	5
Voltage parameter	380V/415V~ ( 50+60Hz )
Clock position	6 h
Color	Red
Protection type	IP44
Connection technology	Screw terminals
Materials	PA66
Minimum wire area	1mm <sup>2</sup>
Maximum conductor area	2.5mm <sup>2</sup>
Fire protection grade	V0

---

## Qualification certification

---

CQC Certification	
CE Certification	<b>CE</b>
CB Certification	<b>CB</b>
RoSH	
TUV	



---

## Packaging parameters

---

Ordering unit	Pcs
HS Code	85366990
Net weight	0.18kg
Number of pieces per box	10
Packaging length	0,31m
Packaging width	0,195m
Packaging depth	0,15m
Gross weight of packaging	2.0kg

## Drawing



	A	16		
mm	p	3	4	5
a		60	66	75
b		47	54	61
c		142	145	147
d		105	107	110
e		18	22	27
f		39	44	50
g		43	49	56
Cross-sectional area of the wire (mm <sup>2</sup> )		1	1	1
From the smallest to the largest		2.5	2.5	2.5